



Building Code Editions Adopted Building Design Information

Updated March, 2018

<u>BUILDING CODE</u>	<u>ADOPTED EDITION</u>
International Building Code	IBC 2015
International Residential Code	IRC 2015
National Electrical Code (NFPA)	NEC 2015
Uniform Plumbing Code	UPC 2015
International Mechanical Code	IMC 2015
Uniform Fire Code	TFC 2015
Int. Energy Conservation Code	IECC 2015 (see Iowa Code 103A.10)
Uniform Code for the Abatement of Dangerous Buildings, 2015 Edition	
Lateral Loads: Base Wind Speed: Exposure B (80 mph) Exposure C (90mph)	
Live Loads: 30 psf roof and ground snow load	
Soil Bearing Value IBC Table 1806.2: (expansive soils can be present)	
Frost Depth: 42" Below finish grade	
Accessibility: IBC chapter 11, ICC/ANSI A117.1	



GET TO KNOW **Newton**

International Building Code IBC 2015

TABLE R301.2(1) CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA

GROUND SNOW LOAD	WIND DESIGN				SEISMIC DESIGN CATEGORY ^f
	Speed ^d (mph)	Topographic effects ^k	Special wind region ^l	Wind-borne debris zone ^m	

SUBJECT TO DAMAGE FROM			WINTER DESIGN TEMP ^e	ICE BARRIER UNDERLAYMENT REQUIRED ^h	FLOOD HAZARDS ^g	AIR FREEZING INDEX ⁱ	MEAN ANNUAL TEMP ^j
Weathering ^a	Frost line depth ^b	Termite ^c					

g. The *jurisdiction* shall fill in this part of the table with (a) the date of the *jurisdiction's* entry into the National Flood Insurance Program (date of adoption of the first code or ordinance for management of flood hazard areas), (b) the date(s) of the Flood Insurance Study and (c) the panel numbers and dates of the currently effective FIRMs and FBFMs or other flood hazard map adopted by the authority having *jurisdiction*, as amended.



GET TO KNOW **Newton**

International Residential Code IRC 2015

TABLE R301.2(1) CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA

GROUND SNOW LOAD	WIND DESIGN				SEISMIC DESIGN CATEGORY ^f
	Speed ^d (mph)	Topographic effects ^k	Special wind region ^l	Wind-borne debris zone ^m	

SUBJECT TO DAMAGE FROM			WINTER DESIGN TEMP ^e	ICE BARRIER UNDERLAYMENT REQUIRED ^h	FLOOD HAZARDS ^g	AIR FREEZING INDEX ⁱ	MEAN ANNUAL TEMP ^j
Weathering ^a	Frost line depth ^b	Termite ^c					

g. The *jurisdiction* shall fill in this part of the table with (a) the date of the *jurisdiction's* entry into the National Flood Insurance Program (date of adoption of the first code or ordinance for management of flood hazard areas), (b) the date(s) of the Flood Insurance Study and (c) the panel numbers and dates of the currently effective FIRMs and FBFMs or other flood hazard map adopted by the authority having *jurisdiction*, as amended.



National Electrical Code (NFPA) NEC 2015

Uniform Plumbing Code UPC 2015

International Mechanical Code IMC 2015

Uniform Fire Code TFC 2015

Uniform Code for the Abatement of Dangerous Buildings, 2015
Edition

Lateral Loads:

Base Wind Speed: Exposure B (80 mph)

Exposure C (90 mph)

Live Loads: 30 psf roof and ground snow load

Soil Bearing Value IBC Table 1806.2 (expansive soils can be
present)

Frost Depth: 42" Below finish grade

Accessibility: IBC Chapter 11, ICC/ANSI A117.1